

Bosch Communications Systems Get your message across, effectively.



## Speakers

Wooden Box Cabinet Speakers - Truly world-class performance and quality

## Unique Features

- Push terminals to allow selection of power
- Quick and simple Installation with mounting brackets
- Excellent frequency response
- High sound pressure level
- Wide opening angle
- In-built 100V line matching transformer
- Ergonomic & stylish design
- Shape & size to fit-in all applications & structures/interiors
- Optimised for music & speech applications



## **Technical Specifications**

	LBD 3902/00	LBD 3903/00	LBD 3904/00	LBD 3905/00	LBD 3921/00	
Max. power	9W	18W	9W	18W	36W	
Rated power (PHC)	6W (6-3-1.5)	12W (12-6-3)	6W (6-3-1.5)	12W (12-6-3)	24W (24-12-6)	
Sound pressure level at rated power/1W (at 1kHz, 1m)	96dB/90dB	98dB/92dB	96dB/90dB	96dB/90dB	98dB/92dB	
Effective frequency range (-10dB)	200-15000Hz	200-15000Hz	200-18000Hz	200-15000Hz	200-15000Hz	
Opening angle at (1kHz, 4kHz, -6dB) in degrees	150/70	150/70	150/70	210/60	210/60	
Rated voltage	100V	100V	100V	100V	100V	
Rated impedance in ohms	1667	833	1667	833	500	
Dimensions (H x W x D) mm	243 x 152 x 140	447 x 60 x 53	242 x 54 x 14	243 x 236 x 132	850 x 153 x 40	
Weight in kg	1.8	3	1.25	3	4	

## Tradition of quality and innovation

For over 100 years, the Bosch name has stood for quality and reliability. Bosch Security Systems proudly offers a wide range of fire, intrusion, CCTV, management and communication systems and components to help you find the solution for any application. We are the global supplier of choice for innovative technology backed by the highest level of service and support. When you need solutions you can rely on, choose Bosch.

Bosch Limited, Security Systems Division P.B. No. 3000, Hosur Road Bangalore - 560 030 Tel.: +91 80 4176 8378

Fax: +91 80 4176 8263

E-mail: boschsecuritysystems@in.bosch.com

www.boschsecurity.co.in

